



Jangro Limited  
James House  
Worsley Road  
Farnworth  
Bolton  
BL4 9NL

Tel. 0845 458 5223

## PRODUCT SAFETY DATA SHEET

### 1 IDENTIFICATION OF PREPARATION AND THE SUPPLIER

Trade Name: JANGRO LUXURY WAX FURNITURE POLISH (Aerosol)  
Supplier: Jangro Limited, as above

### 2 COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient Name	EINECS No.	CAS No.	% Range	Symbol	Risk Phrase
White Spirit		64742-82-1	10-30%	Xn, N	10, 51/53, 65, 66
Hydrocarbon Propellant	649-202-00-6	68476-85-7	10-30%	Fx	12

The full text for all R-phases are shown in section 16.

COMPOSITION COMMENTS: Aerosol propelled by liquefied petroleum gas.

### 3 HAZARDS IDENTIFICATION

Extremely flammable.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### 4 FIRST AID MEASURES

Eyes: Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

Skin: Wash skin thoroughly with soap and water. Use suitable lotion to moisturize skin.

Ingestion: Rinse mouth thoroughly. Get medical attention if any discomfort continues.

Inhalation: If inhalation of vapours causes irritation or drowsiness, remove to fresh air.

### 5 FIRE FIGHTING MEASURES

Extinguishing Media: Fire can be extinguished using: powder, foam or CO2

Fire Fighting Procedures: Breathing apparatus should be worn if exposure to fumes is likely. Use water to keep fire exposed containers cool and disperse vapours.

Explosion Hazards: Possible risk of can rupture when exposed to fire/ high temps. Contents of aerosol will add to fuelling of fire. Solvent vapours may form explosive mixtures with air.

### 6 ACCIDENTAL RELEASE MEASURES

Spillage Cleanup Methods: Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Absorb material from ruptured or leaking containers onto an inert - materials. Transfer to suitable container for subsequent disposal.

### 7 HANDLING AND STORAGE

Usage: Keep away from heat, sparks and open flames. Avoid spilling, skin and eye contact. Caution. Pressurised container. Do not expose to temperatures exceeding 50°C do not puncture or incinerate even when empty. Do not spray onto naked flames or incandescent materials.

Storage: Store at moderate temperatures in dry, well ventilated area.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENT NAME	CAS No	STD	LT EXP (8 hrs)	ST EXP (15 min)
White Spirit	64742-82-1		100 ppm	125 ppm

Protective Gloves: Chemical resistant gloves required for prolonged or repeated contact.  
Eye Protection: Wear approved chemical safety goggles where eye exposure is reasonably probable.

9 PHYSICAL AND CHEMICAL PROPERTIES

Physical Form: Aerosol

9 STABILITY AND REACTIVITY

Stable: Normally Stable  
Conditions to Avoid: Avoid heat, flames and other sources of ignition.  
Materials

11 TOXICOLOGICAL INFORMATION

Inhalation: High concentrations of vapour may cause dizziness, nausea and headaches.  
Ingestion: May cause irritation of mouth, respiratory tract and intestinal system.  
Skin: Repeated exposure may cause skin dryness or cracking.  
Eyes: May cause mild irritation or discomfort.

12 ECOLOGICAL INFORMATION

Environmental Hazards: Harmful to aquatic organisms, may cause long term adverse effects in the aquatic environment.

13 DISPOSAL CONSIDERATIONS

Disposal Methods: Do not puncture or incinerate even when empty. Dispose of in accordance with local authority requirements.

14 TRANSPORT INFORMATION

Label for Conveyance:



Road: n/a  
UN No: 1950  
Hazard Class (ADR): Class 2: Gases; Compressed, liquefied or dissolved under pressure  
ADR ITEN No: 5°C CEFIC TEC (R) No: 20G53  
Rail: n/a  
Sea: n/a  
UN Sea: 1950  
Air: n/a  
UN Air: 1950

15 REGULATORY INFORMATION

Label for Supply:



**EXTREMELY FLAMMABLE**

Risk Phrases:	R-12 R52/53	Extremely Flammable Harmful to aquatic organisms may cause long term adverse effects in the aquatic environment.
Safety Phrases:	S-16 S-2 S-35 S-51 S-61 S-9	Keep away from sources of ignition – No smoking. Keep out of reach of children This material and its container must be disposed of in a safe way. Use only in well ventilated areas. Avoid release to the environment. Refer to special instructions/ Safety Data Sheets. Keep container in a well ventilated place.

16 OTHER INFORMATION

This information is based on our present state of knowledge and is intended to describe our products from the point of view of the safety requirements. However, the information is provided without any warranty, express or implied regarding its correctness.

R-PHASES (Full Text)	R-10 R-12 R-51/53  R-65 R-66	Flammable Extremely flammable Toxic to aquatic organism, may cause long term adverse effects in the aquatic environment.  Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking.
----------------------	---	---